

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product Form : Mixture
Product Name : Urinary Analyte Stabilizer (UAS)
Synonyms : P-197E

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Use of the substance/mixture : No use is specified

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet**Company**

DNA Genotek Inc.
3000 - 500 Palladium Drive
Ottawa, Ontario, Canada
K2V 1C2
1-613-723-5757
dnagenotek.com
info@dnagenotek.com

1.4. Emergency telephone number

Emergency number : 1-866-813-6354

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification According to Regulation (EC) No. 1272/2008 [CLP]**

Flam. Liq. 3 H226
Full text of hazard classes and H-statements : see section 16

2.2. Label elements**Labelling According to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



Signal word (CLP) : Warning
Hazard statements (CLP) : H226 - Flammable liquid and vapour.
Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P240 - Ground and bond container and receiving equipment.
P241 - Use explosion-proof electrical, ventilating, and lighting equipment.
P242 - Use non-sparking tools.
P243 - Take action to prevent static discharges.
P280 - Wear protective gloves, protective clothing, and eye protection.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

PBT: not yet assessed
vPvB: not yet assessed
Other hazards not contributing to the classification : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

SECTION 3: Composition/information on ingredients**3.1. Substances**

Not applicable

Urinary Analyte Stabilizer (UAS)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	15,75 - 23	Flam. Liq. 2, H225
Boric acid (H3BO3) substance listed as REACH Candidate (Boric acid)	(CAS-No.) 10043-35-3 (EC-No.) 233-139-2 (EC Index-No.) 005-007-00-2	2,75 - 3	Repr. 1B, H360FD
trans-1,2-Diaminocyclohexane-N,N',N'-tetraacetic acid monohydrate	(CAS-No.) 125572-95-4 (EC-No.) 236-308-9	2 - 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Boric acid (H3BO3)	(CAS-No.) 10043-35-3 (EC-No.) 233-139-2 (EC Index-No.) 005-007-00-2	(5,5 =<C < 100) Repr. 1B, H360FD

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
- First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
- First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : None expected under normal conditions of use.
- Symptoms/effects after inhalation : Prolonged exposure may cause irritation.
- Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation.
- Symptoms/effects after eye contact : Prolonged exposure may cause slight irritation to eyes.
- Symptoms/effects after ingestion : Ingestion may cause adverse effects.
- Chronic symptoms : None expected under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂). Water may be ineffective but water should be used to keep fire-exposed container cool.
- Unsuitable extinguishing media : Do not use a heavy water stream. A heavy water stream may spread burning liquid.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid and vapour.
- Explosion hazard : May form flammable or explosive vapour-air mixture.
- Reactivity : Reacts violently with strong oxidisers. Increased risk of fire or explosion.
- Hazardous decomposition products in case of fire : Carbon oxides (CO, CO₂). Boric anhydride. Nitrogen compounds.

5.3. Advice for firefighters

- Precautionary measures fire : Exercise caution when fighting any chemical fire.

Urinary Analyte Stabilizer (UAS)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Firefighting instructions : Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid breathing (vapour, mist, spray). Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

- Protective equipment : Use appropriate personal protective equipment (PPE).
- Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Eliminate ignition sources.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.
- Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools.

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Contains substances that are combustible dusts. If dried and allowed to accumulate, may form combustible dust concentrations in air that could ignite and cause an explosion. Take appropriate precautions.
- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapours, mist, spray. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid contact with skin, eyes and clothing.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.
- Storage conditions : Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.
- Incompatible materials : Strong acids, strong bases, strong oxidizers.

7.3. Specific end use(s)

No use is specified

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Boric acid (H3BO3) (10043-35-3)		
Belgium	Limit value (mg/m ³)	2 mg/m ³

Urinary Analyte Stabilizer (UAS)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Boric acid (H3BO3) (10043-35-3)		
Belgium	Short time value (mg/m ³)	6 mg/m ³
Bulgaria	OEL TWA (mg/m ³)	5 mg/m ³ (Boron and its inorganic compounds)
Germany	Occupational exposure limit value (mg/m ³)	0,5 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)
USA ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
USA ACGIH	ACGIH STEL (mg/m ³)	6 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
Latvia	OEL TWA (mg/m ³)	10 mg/m ³
Spain	VLA-ED (mg/m ³)	2 mg/m ³ (the partial or complete commercialization or use of this substance as a phytosanitary or biocide compound is prohibited)
Spain	VLA-EC (mg/m ³)	6 mg/m ³
Spain	OEL chemical category (ES)	TR1B
Switzerland	KZGW (mg/m ³)	1,8 mg/m ³ (inhalable dust)
Switzerland	MAK (mg/m ³)	1,8 mg/m ³ (inhalable dust)
Switzerland	OEL chemical category (CH)	Category 1B developmental toxin, Category 1B reproductive toxin
Hungary	OEL chemical category (HU)	Repr1B
Ireland	OEL (8 hours ref) (mg/m ³)	2 mg/m ³ (Borate compounds inorganic)
Ireland	OEL (15 min ref) (mg/m ³)	6 mg/m ³ (calculated (Borate compounds inorganic))
Lithuania	IPRV (mg/m ³)	10 mg/m ³
Lithuania	OEL chemical category (LT)	Reproductive toxin
Slovenia	OEL TWA (mg/m ³)	0,5 mg/m ³ (inhalable fraction)
Slovenia	OEL STEL (mg/m ³)	1 mg/m ³ (inhalable fraction)
Slovenia	OEL chemical category (SI)	Category 1B
Portugal	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable fraction (Borate compounds, inorganic))
Portugal	OEL STEL (mg/m ³)	6 mg/m ³ (inhalable fraction)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen
Ethyl alcohol (64-17-5)		
Austria	MAK (mg/m ³)	1900 mg/m ³
Austria	MAK (ppm)	1000 ppm
Austria	MAK Short time value (mg/m ³)	3800 mg/m ³
Austria	MAK Short time value (ppm)	2000 ppm
Belgium	Limit value (mg/m ³)	1907 mg/m ³
Belgium	Limit value (ppm)	1000 ppm
Bulgaria	OEL TWA (mg/m ³)	1000 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	1900 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	1000 ppm
France	VLE (mg/m ³)	9500 mg/m ³
France	VLE (ppm)	5000 ppm
France	VME (mg/m ³)	1900 mg/m ³
France	VME (ppm)	1000 ppm

Urinary Analyte Stabilizer (UAS)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl alcohol (64-17-5)		
Germany	Occupational exposure limit value (mg/m ³)	380 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	Occupational exposure limit value (ppm)	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Greece	OEL TWA (mg/m ³)	1900 mg/m ³
Greece	OEL TWA (ppm)	1000 ppm
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
Latvia	OEL TWA (mg/m ³)	1000 mg/m ³
Spain	VLA-EC (mg/m ³)	1910 mg/m ³
Spain	VLA-EC (ppm)	1000 ppm
Switzerland	KZGW (mg/m ³)	1920 mg/m ³
Switzerland	KZGW (ppm)	1000 ppm
Switzerland	MAK (mg/m ³)	960 mg/m ³
Switzerland	MAK (ppm)	500 ppm
Netherlands	Grenswaarde TGG 8H (mg/m ³)	260 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	1900 mg/m ³
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m ³
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	WEL STEL (mg/m ³)	5760 mg/m ³ (calculated)
United Kingdom	WEL STEL (ppm)	3000 ppm (calculated)
Czech Republic	Expoziční limity (PEL) (mg/m ³)	1000 mg/m ³
Denmark	Grænsevædi (8 timer) (mg/m ³)	1900 mg/m ³
Denmark	Grænsevædi (8 timer) (ppm)	1000 ppm
Estonia	OEL TWA (mg/m ³)	1000 mg/m ³
Estonia	OEL TWA (ppm)	500 ppm
Estonia	OEL STEL (mg/m ³)	1900 mg/m ³
Estonia	OEL STEL (ppm)	1000 ppm
Finland	HTP-arvo (8h) (mg/m ³)	1900 mg/m ³
Finland	HTP-arvo (8h) (ppm)	1000 ppm
Finland	HTP-arvo (15 min)	2500 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	1300 ppm
Hungary	AK-érték	1900 mg/m ³
Hungary	CK-érték	7600 mg/m ³
Ireland	OEL (15 min ref) (ppm)	1000 ppm
Lithuania	IPRV (mg/m ³)	1000 mg/m ³
Lithuania	IPRV (ppm)	500 ppm
Lithuania	TPRV (mg/m ³)	1900 mg/m ³
Lithuania	TPRV (ppm)	1000 ppm
Norway	Grenseverdier (AN) (mg/m ³)	950 mg/m ³
Norway	Grenseverdier (AN) (ppm)	500 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m ³)	1187,5 mg/m ³ (value calculated)
Norway	Grenseverdier (Korttidsverdi) (ppm)	625 ppm (value calculated)
Poland	NDS (mg/m ³)	1900 mg/m ³
Romania	OEL TWA (mg/m ³)	1900 mg/m ³
Romania	OEL TWA (ppm)	1000 ppm

Urinary Analyte Stabilizer (UAS)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl alcohol (64-17-5)		
Romania	OEL STEL (mg/m ³)	9500 mg/m ³
Romania	OEL STEL (ppm)	5000 ppm
Slovakia	NPHV (priemerná) (mg/m ³)	960 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	500 ppm
Slovakia	NPHV (Hraničná) (mg/m ³)	1920 mg/m ³
Slovenia	OEL TWA (mg/m ³)	960 mg/m ³
Slovenia	OEL TWA (ppm)	500 ppm
Slovenia	OEL STEL (mg/m ³)	1920 mg/m ³
Slovenia	OEL STEL (ppm)	1000 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	1000 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	500 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	1900 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	1000 ppm
Portugal	OEL TWA (ppm)	1000 ppm
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen

8.2. Exposure controls

- Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapours may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.
- Personal protective equipment : Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.
- Materials for protective clothing : Chemically resistant materials and fabrics. Wear fire/flammable resistant/retardant clothing.
- Hand protection : Wear protective gloves.
- Eye and Face Protection : Chemical safety goggles.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
- Other information : When using, do not eat, drink or smoke.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : Colorless-slight yellowish
- Colour : No data available
- Odour : No data available
- Odour threshold : No data available
- pH : 4,7 – 5,5
- Evaporation rate : No data available
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : No data available

Urinary Analyte Stabilizer (UAS)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/Injuries After Inhalation	: Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: Prolonged exposure may cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects.
Chronic Symptoms	: None expected under normal conditions of use.

SECTION 12: Ecological information**12.1. Toxicity**

Ecology - general : Not classified.

Boric acid (H3BO3) (10043-35-3)

LC50 fish 1	447 mg/l
EC50 Daphnia 1	115 - 153 mg/l (Exposure time: 48 h - Species: Daphnia magna)
ErC50 (algae)	290 mg/l
NOEC chronic fish	2,1 mg/l

Ethyl alcohol (64-17-5)

LC50 fish 1	11200 mg/l
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
ErC50 (algae)	1000 mg/l
NOEC chronic crustacea	9,6 mg/l

12.2. Persistence and degradability**Urinary Analyte Stabilizer (UAS)**

Persistence and degradability : Not established.

12.3. Bioaccumulative potential**Urinary Analyte Stabilizer (UAS)**

Bioaccumulative potential : Not established.

Boric acid (H3BO3) (10043-35-3)

BCF fish 1	0
Log Pow	-0,757 (at 25 °C)

Ethyl alcohol (64-17-5)

Log Pow	-0,32
---------	-------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment**Urinary Analyte Stabilizer (UAS)**

PBT: not yet assessed

vPvB: not yet assessed

Boric acid (H3BO3) (10043-35-3)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Other information : Avoid release to the environment.

Urinary Analyte Stabilizer (UAS)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830






SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.
 Additional information : Handle empty containers with care because residual vapours are flammable.
 Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1170	1170	1170	1170	1170
14.2. UN proper shipping name				
ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	Ethyl alcohol solution	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Ethyl alcohol
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Urinary Analyte Stabilizer (UAS) - Ethyl alcohol
30. Substances which are classified as reproductive toxicant category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 5 or Appendix 6, respectively.	Boric acid (H3BO3)

Urinary Analyte Stabilizer (UAS)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Ethyl alcohol

Contains a substance on the REACH candidate list in concentration $\geq 0.1\%$ or with a lower specific limit: Boric acid (EC 233-139-2, CAS 10043-35-3)

Contains no REACH Annex XIV substances

Boric acid (H3BO3) (10043-35-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ethyl alcohol (64-17-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Date of Preparation or Latest Revision : 14/09/2020

Data sources : Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

Other information : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 1B	Reproductive toxicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360FD	May damage fertility. May damage the unborn child.

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists
 ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways
 ADR – European Agreement Concerning the International Carriage of Dangerous Goods by Road
 ATE - Acute Toxicity Estimate
 BCF - Bioconcentration Factor
 BEI - Biological Exposure Indices (BEI)
 BOD – Biochemical Oxygen Demand
 CAS No. - Chemical Abstracts Service Number
 CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008
 COD – Chemical Oxygen Demand
 EC – European Community

NDS - Najwyższe Dopuszczalne Stezenie
 NDSh - Najwyższe Dopuszczalne Stezenie Chwilowe
 NDSP - Najwyższe Dopuszczalne Stezenie Pulapowe
 NOAEL - No-Observed Adverse Effect Level
 NOEC - No-Observed Effect Concentration
 NRD - Nevirsytinas Ribinis Dydis
 NTP – National Toxicology Program
 OEL - Occupational Exposure Limits
 PBT - Persistent, Bioaccumulative and Toxic
 PEL - Permissible Exposure Limit
 pH – Potential Hydrogen
 REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals
 RID – Regulations Concerning the International Carriage of Dangerous Goods

Urinary Analyte Stabilizer (UAS)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 - Median Effective Concentration	by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical Substances	SDS - Safety Data Sheet
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STEL - Short Term Exposure Limit
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	STOT - Specific Target Organ Toxicity
EU – European Union	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
ErC50 - EC50 in Terms of Reduction Growth Rate	TEL TRK – Technical Guidance Concentrations
GHS – Globally Harmonized System of Classification and Labeling of Chemicals	ThOD – Theoretical Oxygen Demand
IARC - International Agency for Research on Cancer	TLM - Median Tolerance Limit
IATA - International Air Transport Association	TLV - Threshold Limit Value
IBC Code - International Bulk Chemical Code	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IMDG - International Maritime Dangerous Goods	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IOELV – Indicative Occupational Exposure Limit Value	TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte
LC50 - Median Lethal Concentration	TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte
LD50 - Median Lethal Dose	TSCA - Toxic Substances Control Act
LOAEL - Lowest Observed Adverse Effect Level	TWA - Time Weighted Average
LOEC - Lowest-Observed-Effect Concentration	VOC – Volatile Organic Compounds
Log Koc - Soil Organic Carbon-water Partitioning Coefficient	VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
Log Kow - Octanol/water Partition Coefficient	VLA-ED - Valor Límite Ambiental Exposición Diaria
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water	VLE – Valeur Limite D'exposition
MAK – Maximum Workplace Concentration/Maximum Permissible Concentration	VME – Valeur Limite De Moyenne Exposition
MARPOL - International Convention for the Prevention of Pollution	vPvB - Very Persistent and Very Bioaccumulative
EU GHS SDS	WEL – Workplace Exposure Limit
	WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.