

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: OSHA & GHS - Canada WHMIS 2015

Issuing Date 19-Apr-2023	Revision date 19-Apr-2023	Revision Number 2	
1. Identification			
Product identifier			
Product Name	UAS Preservative; Colli-Pee UAS FV-50XX (FV-5040)		
Other means of identification			
Product Code(s)	PD-MSDS-00152		
Synonyms	None		
Recommended use of the chemical and restrictions on use			
Recommended use	For stabilization of human specimens		
Restrictions on use	No information available		
Details of the supplier of the safet	y data sheet		
<u>Initial supplier identifier</u> Novosanis NV, Bijkhoevelaan 32c, BE-2110 Wijnegem, Belgium	<u>Supplier Address</u> Novosanis NV, Bijkhoevelaan 32c, BE-2110 Wijnegem, Bel <u>(</u>	gium	
Emergency telephone number			
Emergency Telephone	+32 3 485 50 16 ; +1 613-723-5757		

# 2. Hazard(s) identification

#### **Classification**

Carcinogenicity	Category 1B
Reproductive toxicity	Category 1B
Flammable liquids	Category 3

Appearance aqueous solution Label elements

Physical state Liquid

Odor No information available

Danger

Hazard statements May cause cancer May damage fertility or the unborn child Flammable liquid and vapor



### Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves, protective clothing, eye protection and face protection Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground and bond container and receiving equipment Use explosion-proof electrical, ventilating, lighting and .? equipment Use only non-sparking tools Take precautionary measures against static discharge **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention **Skin** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water and then shower **Fire** In case of fire: Use CO2, dry chemical, or foam to extinguish

### **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep cool **Precautionary Statements - Disposal** Dispose of contents and container to an approved waste disposal plant

#### Other information

Harmful to aquatic life.

### 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Ethanol	64-17-5	10-30	-	-
Sodium Acetate Trihydrate	6131-90-4	5-10	-	-
Boric acid	10043-35-3	1-5	-	-

#### 4. First-aid measures

#### **Description of first aid measures**

General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Rinse mouth.

Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information.	
Most important symptoms and effect	ts, both acute and delayed	
nptoms No information available.		
Indication of any immediate medical attention and special treatment needed		

**Note to physicians** Treat symptomatically.

# 5. Fire-fighting measures

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	Yes.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
Methods and material for containm	ent and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# 7. Handling and storage

#### Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

### Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,<br/>sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static<br/>electricity). Keep in properly labeled containers. Do not store near combustible materials.<br/>Keep in an area equipped with sprinklers. Store in accordance with the particular national<br/>regulations. Store in accordance with local regulations. Store locked up.

### 8. Exposure controls/personal protection

#### Control parameters Exposure Limits

Chemical name		ACGIH T	LV	0	SHA PEL		NIOSH
Ethanol		STEL: 1000 ppm		TWA: 1000 ppm		IDLH: 3300 ppm	
64-17-5				TWA:	1900 mg/m <sup>3</sup>		TWA: 1000 ppm
					TWA: 1000 ppm		TWA: 1900 mg/m <sup>3</sup>
				(vacated)	TWA: 1900 mg/m <sup>3</sup>		
Boric acid		STEL: 6 mg/m <sup>3</sup>	inhalable		-		-
10043-35-3		particulate matter					
		TWA: 2 mg/m <sup>3</sup>					
		particulate n	natter		-		
Chemical name		Alberta	British C	Columbia	Ontario		Quebec
Ethanol	Т	WA: 1000 ppm	STEL: 1	000 ppm	STEL: 1000 pp	m	STEL: 1000 ppm
64-17-5	TV	VA: 1880 mg/m <sup>3</sup>					
Boric acid		-	TWA: 2	2 mg/m <sup>3</sup>	TWA: 2 mg/m	3	TWA: 2 mg/m <sup>3</sup>
10043-35-3			STEL: 6	6 mg/m <sup>3</sup>	STEL: 6 mg/m	3	STEL: 6 mg/m <sup>3</sup>

#### Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

# 9. Physical and chemical properties

Information on basic physical and o Physical state Appearance Color Odor Odor threshold	<u>hemical properties</u> Liquid aqueous solution orange No information available No information available	
Property_	Values	Remarks • Method
рН	4.8 - 5.2	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang		None known
Flash point	= 27 °C / 73.4 °F	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	363 °C / 685.4 °F	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information Explosive properties Oxidizing properties Softening point Molecular weight VOC Content (%) Liquid Density Bulk density	No information available No information available No information available No information available No information available No information available	

# 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

# 11. Toxicological information

#### Information on likely routes of exposure

Product Information	
---------------------	--

umptome related to the physical chemical and toxical acies cheraoteristics		
Ingestion	Specific test data for the substance or mixture is not available.	
Skin contact	Specific test data for the substance or mixture is not available.	
Eye contact	Specific test data for the substance or mixture is not available.	
Inhalation	Specific test data for the substance or mixture is not available.	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available
-----------------------------------

#### Acute toxicity

Numerical measures of toxicity No information available

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	16,881.20 mg/kg
ATEmix (dermal)	41,697.00 mg/kg
ATEmix (inhalation-dust/mist)	36.80 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h
64-17-5			= 133.8 mg/L (Rat) 4 h
Sodium Acetate Trihydrate	= 3530 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 30 g/m³ (Rat)1 h
6131-90-4			
Boric acid	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.12 mg/L (Rat) 4 h
10043-35-3			-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

#### The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	Х
64-17-5		-		
Boric acid	-	Group 2A	-	Х
10043-35-3				

Legend ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present				
Reproductive toxicity	Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.			
STOT - single exposure	No information available.			
STOT - repeated exposure	No information available.			
Target organ effects	Liver, Respiratory system, Eyes, Skin, Central nervous system, Blood, Reproductive system.			
Aspiration hazard	No information available.			

## 12. Ecological information

Ecotoxicity

Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethanol 64-17-5	-	LC50: 12.0 - 16.0mL/L (96h, Oncorhynchus mykiss) LC50: >100mg/L (96h, Pimephales promelas) LC50: 13400 - 15100mg/L (96h, Pimephales promelas)	-	LC50: 9268 - 14221mg/L (48h, Daphnia magna) EC50: =2mg/L (48h, Daphnia magna)
Sodium Acetate Trihydrate 6131-90-4	-	LC50: >100mg/L (96h, Danio rerio)	-	EC50: >1000mg/L (48h, Daphnia magna)
Boric acid 10043-35-3	-	-	-	EC50: 115 - 153mg/L (48h, Daphnia magna)

Persistence and degradability

No information available.

#### Bioaccumulation

#### **Component Information**

Chemical name	Partition coefficient
Ethanol	-0.35
64-17-5	
Boric acid	-1.09
10043-35-3	

Mobility in soil

No information available.

Other adverse effects

No information available.

### 13. Disposal considerations

Disposal methods	
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.
California waste information	This product contains one or more substances that are listed with the State of California as a hazardous waste.

### 14. Transport information

DOT	Not restricted
Proper shipping name	Not restricted
Special Provisions	49 CFR § 173.150 (e)
<u>TDG</u>	Not restricted
UN proper shipping name	Not restricted
Special Provisions	SOR/2001-286 1.36 (b)
MEX	Not restricted
UN proper shipping name	Not restricted
Special Provisions	144
IATA	Not restricted
UN proper shipping name	Not restricted
Special Provisions	144
IMDG	Not restricted
UN proper shipping name	Not restricted
Special Provisions	144
<u>RID</u>	Not restricted
UN proper shipping name	Not restricted
Special Provisions	144
ADR	Not restricted
UN proper shipping name	Not restricted
Special Provisions	144

# 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Regulations** 

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

#### International Inventories

TSCA DSL/NDSL EINECS/ELINCS	Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Ethanol - 64-17-5	Carcinogen	
	Developmental	

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
RO/DI Water	-	-	Х
7732-18-5			
Ethanol	Х	Х	Х
64-17-5			
Boric acid	Х	-	-
10043-35-3			

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

### 16. Other information

	ards 1 Flammab ards * 2 Flammab *= Chronic Health Hazar	oility 3	Instability 0 Physical hazards 0	Special hazards - Personal protection X			
Key or legend to abbreviations and acronyms used in the safety data sheet							
Legend Section 8: Exposure controls/personal protection    TWA  TWA (time-weighted average)  STEL  STEL (Short Term Exposure Limit)    Ceiling  Maximum limit value  *  Skin designation    Key literature references and sources for data used to compile the SDS    Agency for Toxic Substances and Disease Registry (ATSDR)							
Issuing Date	19-Apr-2023						
Revision date	19-Apr-2023						
Revision Note <u>Disclaimer</u> The information provided in this St	No information availab		of our knowlodge infe	rmation and balist at the			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet